

North York General

MSS Laboratory, 4001 Leslie Street 3rd Floor Southeast Toronto ON M2K 1E1 Fax: (416) 756-6108

## Prenatal Screening Requisition – North York General

for Down Syndrome, Trisomy 18 and ONTD

<u>Health Care Provider points to consider:</u> Prenatal screening requires patient education and should proceed only with informed choice of the patient.

<u>Instructions for patients</u>: Nuchal Translucency (NT) ultrasounds need to be ordered by your health care provider. The blood sample can be drawn at any community lab **after** the NT ultrasound, ideally on the same day. **The MSS Laboratory does not make arrangements for the NT ultrasound**.

\*\*Accurate information is necessary for a valid interpretation\*\*

* Name:(SURNAME)		GIVEN)
* Date of Birth:(YYYY)		_
* Health Card #:		
* Address:		
* Postal Code:	Phone: ()	

Obtain this requisition online at: https://prenatalscreeningonta	ario.ca/en/pso/requisitions-and	-provider-tools/mms-requisitions.aspx	
Test Requested (choose one only)	Clinical Information- please complete all sections		
Only select the eFTS or Maternal Serum Screening below if:  • NIPT has not been ordered in this pregnancy  • NIPT has been ordered, but has been uninformative	Racial origin:	Weight kg or lbs	
Enhanced First Trimester Screen (eFTS)  (eFTS: NT, PAPPA, FBHCG, PIGF, AFP)  [CRL 45-84 mm]; corresponding to approximately 11 weeks and 2 days to 13 weeks and 3 days gestation.  Requires nuchal translucency (NT) ultrasound and blood sample  Maternal Serum Screen [14w – 20w6d]  (AFP, hCG, UE3, inhibin A)  Ultrasound dating preferred to LMP dating  Maternal Serum AFP only [15w – 20w6d]  SOGC recommends AFP testing only when ultrasound examination has failed to provide a sufficiently clear image of the neural tube to make a decision regarding the likelihood of Open Neural Tube Defect  Poor visibility on anatomy scan	☐ Black ☐ Asian ☐ South East Asian ☐ Indigenous ☐ Other:	Last Menstrual Period (LMP):  (YYYY/MM/DD)  (Ultrasound dating is required for eFTS)	
	Was this patient on insulin prior to pregnancy?  (Note: not gestational diabetes)		
	Smoked cigarettes EVER during this pregnancy? Yes		
	-	patient is donor):(YYYY/MM/DD)	
Ultrasound (U/S) Information Sonographer or ordering pro-	vider to complete. Identify U/S	operator code only if doing NT Scan.	
Singleton/Twin A:  U/S Date: CRL: Crown-Rump Lengt  (YYYY/MM/DD)  Twin B: dichorionic monochorionic uncertain IUFD  Sonographer's information:	cm mm BPD:	neter Nuchal Translucency  CRL 45.0-84.0 mm  cm  mm NT: mm	
Operator Code: Site:	Site phone #: (		
Name:	Signature:		
Ordering Provider:Address:		:	
Phone: ()         Fax: ()         Phone: ()           Signature :         Billing #         Provider Billing #		Fax: ()	
For Blood Collection Centre Use Only			
Send 2 mL of serum to the laboratory indicated above (serum sep Send primary tube to laboratory if there is a gel barrier, other	. ,	anticoagulate or freeze blood. Centrifuge.	
Collection Centre:  Specimen Date:(YYYY/MM/DD) Phone	•	I_alb  Lalbel	
		()	